

# Krebs cycle from TGD point of view

August 23, 2022

Matti Pitkänen

Email: matpitka6@gmail.com.

[http://tgdtheory.com/public\\_html/](http://tgdtheory.com/public_html/).

Recent postal address: Rinnekatu 2-4 A 8, 03620, Karkkila, Finland.

## Abstract

This article was inspired by the YouTube video in which biologist Nick Lane talked of Krebs cycle, also known as citric acid cycle. The title of the video was "How the Krebs cycle powers life and death?".

Krebs cycle is central in the metabolism of animal cells, liberating metabolic energy from glucose and leading to the emergence of the basic building blocks of fundamental biomolecules. Lane talks also of the reverse Krebs cycle appearing in photosynthesis. Lane proposes a vision of how life could have evolved from in-organic chemistry in thermal vents. Lane emphasizes the importance of charge separation at the level of the cell and even at the level of Earth.

The objections against Lane's view give a good motivation for developing a TGD based view about Krebs cycle. This view is based on some basic ideas of TGD inspired quantum biology. In particular the zero energy ontology (ZEO) in which Krebs cycle and its reversal could be seen as time reversal of each other at the control level; the quantum gravitational view of metabolism and evolution of life; the TGD inspired view about how Pollack effect induces charge separations leading also to a view of genetic code, which at fundamental level would be realized in terms of both dark proton and dark photon triplets; and the TGD proposal for what happened in Cambrian explosion in which oxygenated oceans and highly developed multicellulars emerged apparently out of nowhere.

The discussion leads to a more precise view of metabolism before the Cambrian explosion, according to which the dark photons generated by the Earth's core would have provided the photons for photosynthesis in underground oceans and led to their oxygenation.

## 1 Introduction

This article was inspired by the YouTube video (<https://cutt.ly/7XTY1Cc>) in which biologist Nick Lane talked of Krebs cycle, also known as citric acid cycle, (<https://cutt.ly/kXTY9B5>). The title of the video was "How the Krebs cycle powers life and death?". I am grateful for Marko Manninen for the link.

### 1.1 Krebs cycle

Lane's talk starts with a picture about the network of metabolic reaction pathways of an animal cell. Its complexity is absolutely stunning. In the network nodes correspond to various biochemical compounds and edges between them to reactions catalyzed by biocatalyst.

This huge complexity shows how magnificent work biochemists have done but also forces, at least me, to ask whether there should exist a description relying on deeper principles and involving something beyond chemistry.

Before continuing, I can of course reveal the cards already now and tell that I have been working for roughly two decades with what I could call TGD (Topological Geometro-dynamics) [L17] inspired quantum biology. Quantum gravitation in the TGD sense and phases of ordinary matter, which can be quantum coherent in arbitrarily long length scales and behave in many respects like dark matter, play a crucial role in this model. The model challenges the vision of life as nothing but biochemistry.

In the middle of the illustration of the metabolic network stands the Krebs cycle. There is in fact also another cycle found by Krebs: readers can try to identify it from the picture of the video.

1. The input of the cycle is glucose  $C_6H_{12}$  produced in previous reactions splitting carbohydrates, proteins and lipids. Glucose is first split into pyruvate involving 2 carbon atoms. This produces carbon dioxide  $CO_2$ , which can be said to be a waste product. Second output of the cycle is water  $H_2O$ .
2. The Krebs cycle has two basic functions. The first function is to build precursors of various biomolecules like amino acids, nucleotides, and lipids for further processing in the other parts of the reaction pathway network.

Second function is to liberate the metabolic energy of the pyruvate. Mitochondria, where Krebs cycle takes place are both power stations and molecular factories of the cell building the basic building blocks constructed in other parts of the cell.

3. Although  $CO_2$  and  $H_2O$  can be said to be the outputs of the aerobic Krebs cycle, Lane prefers to talk about  $2H$  as the output. The pairs  $2H$  react with  $NAD^+$  to give  $NADH + H^+$ . The reaction liberates energy kicking the proton  $H^+$  over the potential wall defined by the membrane voltage.

Eventually the proton falls back and gains energy by acceleration in the electric field: the energy of the proton makes possible the energization of ADP by phosphorylation:  $ADP \rightarrow ATP$  adding one phosphate  $P_i$  to ADP.  $ATP \rightarrow ADP$  in turn takes care of the further distribution of the metabolic energy. One can say that ATP serves as a basic metabolic currency and all biological processes use this standard coin. Note that Krebs cycle has both aerobic and anaerobic variants and only the last step involves oxidative phosphorylation.

$NADH$ , which has taken hydrogen and one electron  $e^-$  of  $2H$  carries the electron to electron chain in which electrons are transferred in a stepwise manner along the mitochondrial membrane and gradually gives up its energy and end up to oxygen and ADP.

4. Krebs cycle is indeed a cycle. At the first step it transforms pyruvate involving two C atoms to a compound with 6 C atoms and and at the first half of the cycle it is transformed to a compound with 4 C atoms going through 4 steps being eventually transformed to the compound with 6 C atoms.

## 1.2 Reverse Krebs cycle

In the reverse Krebs cycle (<https://cutt.ly/HXTY5RR>,  $CO_2$  and  $2H$  and energy are the inputs and pyruvate is the output. Also reactions like  $NAD^+2H \rightarrow NaDH + H^+$  are reverted so that a time reversal at some level is suggestive. Instead of production of ATP, ATP is used to get energy in absence of some other energy source such as solar radiation. The symmetry between the two halves of the Krebs cycle allows the production of the precursors of various biomolecules also in the reverse Krebs cycle.

1. Reverse Krebs cycle is obviously a natural predecessor of the Krebs cycle, which appears when animals use the energy stored chemically by photosynthesizing organisms. Instead of photons, the reverse Krebs cycle can also use biochemical energy. Even electron energy can be used.
2. Photosynthesis relies on the reverse Krebs cycle used by plants and some other photosynthesizing organisms (algae living in oceans). Energy comes from photons of solar radiation and is stored in various biomolecules and ATP produced in the reverse Krebs cycle. The biomolecules storing energy are then used by animals using the Krebs cycle.

3. In the archaea and bacteria  $H_2O$  as input of reverse Krebs cycle can be replaced with  $H_2S$ . This can occur even in mammalian mitochondria under stress conditions, when oxygen supply is reduced (<https://cutt.ly/qXTUe4j>)
4. The Krebs cycle can be reversed under some conditions such as cancer. Lane argues that the reverted Krebs cycle is favourable for cancer cells since it produces basic precursors of the basic biomolecules. But also the Krebs cycle does this: maybe the reverse Krebs cycle does this more effectively. In any case, the reverse Krebs cycle does not liberate metabolic energy so that it has disastrous effects.
5. Some primitive life forms can use both Krebs cycle and reverse Krebs cycle, be animal- or plant-like, one might say.

### 1.3 The importance of charge separation

Lane emphasized the importance of charge separation. The interior of the cell is negatively charged and the outside positively charged. This charge separation is very common in living matter. For instance, DNA is negatively charged: one unit of negative charge per nucleotide associated with phosphate. Earth's interior is negatively charged and exterior positively charged.

Pollack effect [I2, I3, L1, I4, I5] generates negatively charge regions of water, exclusion zones with effective stoichiometry  $H_2O$  and layer like hexagonal structure consisting of hexagons. Clearly, the Pollack effect produces  $OH^-$  from  $H_2O$  molecules.

Pollack effect is induced by the irradiation of water in a presence of gel at visible or IR wavelengths and induces charge separation. This effect is poorly understood in the standard chemistry framework and its explanation involving new physics is a central element in the TGD based view of living matter [L1].

Krebs cycle takes care of the charge separation requiring energy feed metabolic energy storage in the pyruvate.

### 1.4 The proposal for the evolution of life

Lane also discusses evolution of life starting from the idea that the primitive form of reverse Krebs cycle preceded the recent forms of life. It was discovered in 1966 that photosynthetic bacteria living in anaerobic environments use the reverse Krebs cycle to produce basic biomolecules and to store energy.

1. Margaret Dayhoff was the mother of bioinformatics. On the basis of the evolution of the present day form of enzyme ferredoxin, which has simple inorganic active site and has a key role in photon energy utilization, Dayhoff suggested that its prototype was incorporated into metabolism very early in biological evolution, even before genetic code existed(!). Ferredoxin was evolved by a doubling of a shorter protein, which would have evolved only 8 the simplest amino acids. This shorter ancestor in turn involves only amino acids alanine, proline, serine, and glycine.

For instance, methanogens (archaea) and acetogens (bacteria) use a simple analog of Krebs cycle to grow from  $H_2$  and  $CO_2$  by using a so-called COA pathway.

Reverse Krebs cycle is associated with anaerobic photosynthetic bacteria and since photosynthesis makes chemical energy storage possible, reverse Krebs cycle must have appeared first. Its analog can also use chemical energy of inorganic molecules.

2. Bill Martin proposed that so-called LUCA living in hydrothermal vents is the ancestor of bacteria and archaea (<https://cutt.ly/hXTUoZ6>). LUCA would have lived 4 billion years ago. LUCA was autotrophic and made all its biomolecules from the inorganic molecules of the environment containing hydrogen,  $CO_2$  and nitrogen turning them to organic compounds like ammonia. It lived in the dark and there was no oxygen so that it would have obtained its metabolic energy from some other source than recent plants and animals.

It would have used the primitive version of the reverse Krebs cycle with  $H_2S$  and  $CO_2$  as inputs to build basic biomolecules. This process is an analog of photosynthesis storing

energy as chemical energy. Inorganic molecules would have replaced photons as the source of metabolic energy.

The genes of LUCA would have been very simple. The first naive guess is that the genes of LUCA are shared by archaea, prokaryotes, and eukaryotes and this gives constraints on the speculations concerning their genome. This gives however quite too high a number of candidates. The lateral transfer of genes must be taken into account. It implies that the common genes need not be possessed by LUCA. The outcome was a proposal involving 355 genes for LUCA. For instance, the genes responsible for the synthesis of nucleic acids and amino acids were missing. Also the genes needed to code complete ribosomes were missing.

3. Deborah Kelley discovered alkaline hydrothermal vents with charge separation between interior containing. They are rich in hydrogen gas. Hydrothermal vents were predicted by geologist Mike Russel based on the study of what looked like fossilized mineral sponges. The pores of this inorganic structure would have had  $OH^-$  ions in the interior and protons in the exterior. The walls would have contained FeS.

Lane suggests that inorganic pores inside the hydrothermal vents represent a candidate for a proto cell.

1. Lane emphasized the importance of the charge separation. The interior of both proto cell and its modern version must have been negatively charged (alkaline) whereas the exterior was positively charged. Lane notices that a similar charge separation also characterizes Earth interior and exterior: the electric field of Earth is made possible by this charge separation. What is amusing and thought provoking is that the strength of the electric field in lightning is the same as through the cell membrane! Could one see Earth itself as a giant cell? Did life proceed from long scales to short scales or vice versa?
2. A primitive predecessor of reverse Krebs cycle using perhaps  $H_2S$  and  $CO_2$  instead of water would have generated the building bricks of chemical life. Oxidation of inorganic compounds such as iron ions could have served as the source of the metabolic energy.
3. Lane discusses a proposal for the steps leading to pyruvate from which the Krebs cycle starts from. Bound methanol from  $CO_2$ . From this to pyruvate containing two carbons. This is realized in the lab. Also lipids would have been generated leading to the emergence of cell membranes.

It should be noticed in passing that in the experiments producing the basic biomolecules UV light is often needed: this is understandable since the scale of molecular energies is in visible and UV. The problem is that the recent life forms do not however utilize UV light.

4. These life forms would have lived in hydrothermal vents and would have disappeared as life based on photosynthesis generating oxygen emerged. All plant-like life forms not using photosynthesis would have disappeared in CE if they existed at all.

Oxygen based life would have been the winner since reverse Krebs cycle for photosynthesis is much more effective than for the variant of Krebs cycle using chemical energy. Also aerobic Krebs cycle is much more effective than that based on fermentation. The monocellular life forms, possibly using  $H_2S$  based metabolism, would have disappeared in CE when the oxygen levels in oceans would have increased dramatically.

5. Note that the same proposal for the proto cell could work if  $H_2O$  replaces  $H_2S$  if it is available. One can also make "What if?" question. Can one imagine that photons and oxygen were in some mysterious way available from the beginning.
6. The next revolution according to Lane would have been the emergence of photosynthesis as analog of reverse Krebs.  $H_2O$  would have replaced  $H_2S$  from water.  $CO_2 + H_2 \rightarrow CH_2O + O_2$  became the basic reaction making possible the storage of metabolic energy to carbon compounds and producing the basic building blocks of biomolecules.

The Great oxidation event (GOE), estimated to have occurred for 2.4-2.2 billion years before the Cambrian explosion (CE), would have initiated a very slow oxidation of oceans

and amplified in CE dramatically. This would explain why the fossils of life forms utilizing oxygen based photosynthesis are absent before CE.

The scenario however has problems.

1. The proposal is that metabolism came first. However, metabolism requires biocatalysts and their generation requires genes. If metabolism was miraculously possible without genes, how genes emerged from metabolism? All nothing-but-chemistry based views of the origin of life have hen-egg problems. Did the cell membrane emerge first? Did proteins or genes emerge first? Did proteins, DNA or RNA emerge first?

All these need each other in recent life, which leads to asking whether something much deeper emerged first or was present from the beginning at the level of fundamental physics. Could this something relate to the difference between in-organic and organic matter and to the incredible efficiency and precision of bio-catalysis? Does biophysics involve something totally new, not yet identified?

2. Did the GOE really happen? What is known of fossils suggests that it occurred in CE but how is this possible? Did oxygen rich oceans appear out of nowhere just like the complex multicellulars. Could one think that this somehow occurred and multicellular cells replaced the possibly existing life forms in hydrothermal vents at the surface of Earth using chemical energy as metabolic energy?
3. As Lane emphasizes, charge separation is crucial. Pollack effect induces it. We do not understand the Pollack effect in the standard biochemistry framework.

These objections give a good motivation for developing a TGD based view about Krebs cycle. This view is based on some basic ideas of TGD inspired quantum biology, quantum gravitational views of metabolism [L23] and evolution of life [L21], the TGD inspired view about how Pollack effect induces charge separations leading also to a view of genetic code realized in terms of both dark proton and dark photon triplets, the TGD proposal for what happened in Cambrian explosion in which oxygenated oceans and highly developed multicellulars emerged apparently out of nowhere [L8, L18, L12].

## 2 TGD view of Krebs cycle and early life

The TGD based view of life could have emerged from the problems of the view of Lane.

### 2.1 Brief overview of quantum TGD

TGD and TGD inspired theories of consciousness and quantum biology rely on a new view of space-time and quantum theory [L17].

1. In the original form TGD was proposed to be a geometrization of classical physics: the gauge fields of standard model and gravitational fields are geometrized in terms of the geometry of 8-D space  $H = M^4 \times CP_2$  in which space-times are 4-D surfaces.

The new view of space-time leads to notions like topological field quantization. Maxwellian fields are replaced by topological field quanta such as magnetic flux quanta (tubes and sheets) and electric flux quanta which correspond to space-time surfaces of finite spatial size in  $H$ .

2. Later the geometrization program was extended to include entire quantum physics and was based on the notion of the "world of classical worlds" (WCW) consisting of 4-D surfaces identified as space-time surfaces in  $H$ , which are preferred extremals of action principle analogous to Bohr orbits.

Preferred extremal/Bohr orbit property leads naturally to holography which is not quite exact, which has important implications for quantum biology and understanding of cognition. This in turn leads to zero energy ontology (ZEO). Quantum states are not superpositions of 3-D surfaces but of 4-surfaces.

They are therefore quantum variants for analogs of deterministic time evolutions: functions, behaviors of computer programs. The notion of function is central in biology and neuroscience and would be also a central notion in fundamental quantum physics.

ZEO leads to a TGD inspired theory of consciousness as a generalization of quantum measurement theory solving its basic problem due to the conflict of the determinism of unitary time evolution with non-determinism of state function reduction. Quantum jump replaces the entire superposition of space-time surfaces with a new one rather than violating the deterministic time evolution of a given space-time surface. There are two causalities: this solves the basic problem of quantum measurement theory. There are also two times: the geometric time of a physicist and the subjective time as a sequence of quantum jumps.

This in turn leads to a new view about state function reductions (SFR): in ordinary "big" SFR the arrow of time changes whereas in "small" SFR as an analog of weak measurement it is not changed. The findings of Mineev et al [L9] provide direct support for ZEO [L9]. Also the views about thermodynamics must be modified since the arrow of time can change. The implications are especially profound in biology.

3. Later came a generalization of the physics based on real numbers to what I call adelic physics [L6, L7]. Adeles are fusion of reals and p-adic number fields identified as correlates of cognition and intention. p-Adic number fields are completions of rationals just like real numbers. They allow an infinite number of extensions induced by algebraic extensions of rationals.

It is natural to interpret the hierarchies of extensions of rationals as evolutionary hierarchies and one can assign to extensions the value of effective Planck constant  $h_{eff} = nh_0$  determined by their dimension. Also biological evolution reduces to the increase of algebraic complexity in a sequence of quantum jumps replacing zero energy state with a new one.

This framework led to  $M^8 - H$  duality, which generalizes the momentum-position duality of wave mechanics. This duality provides two views of physics. The complexification  $M_c^8$  of  $M^8$ , as analog of complexified 8-D momentum space, has an interpretation as complexified octonions. At the level of  $M^8$  the counterparts of 4-surfaces are determined by the roots of monomial polynomials  $P$  of a real argument and having integer coefficients. The roots of  $P$  correspond to, in general complex, mass squared values defining mass shells  $H^3$  (hyperbolic spaces) in momentum space  $M_c^4 \subset M_c^8$ . The roots are algebraic numbers in an extension of rationals defined by  $P$  and the Galois group of  $P$  acts as symmetries of the theory.

These 3-D objects are continued by holography to 4-surfaces. The holographic dynamics is dictated by the condition that the normal space of the 4-surface is associative, that is quaternionic. The second condition is that the normal space contains commutative space (analogous to complex numbers). This guarantees that the normal space corresponds to a point of  $CP_2$  and makes it possible to map these associative 4-surfaces to space-time surfaces in  $H$ .

## 2.2 Some basic ideas of TGD inspired quantum biology

Consider now some aspect of TGD inspired quantum biology relevant for what follows.

### 2.2.1 Dark matter and quantum biology

Basic prediction of the number theoretic vision of TGD is a hierarchy of dark matter phases labelled by  $h_{eff} = nh_0$ , where  $n$  is the dimension associated with the extension of rationals.

1. Dark matter in the TGD sense residing at monopole flux tubes is central for the TGD view of life. Also the electric flux quanta, which correspond to deformations of minimal surfaces of  $H$  with 2-D membrane-like projection to  $E^3$  are expected to be important and accompany for instance, the lipid layers of cell membrane and boundaries between two phases. For instance, molecules could be accompanied by these kinds of membranes involving  $h_{eff} > h$  phases. Dark variants of protons and electrons and perhaps also ions reside at the field equanta.

2. Large value of  $h_{eff}/h$  would mean high algebraic complexity and high "IQ" so that the magnetic body (MB) would naturally use the biological body as a motor instrument and sensory receptor.
3. There are reasons to believe that the value of  $h_{eff}$  correlates with the interactions mediated by the flux tubes. Gravitational Planck constant  $\hbar_{hr}/ = GMm/\beta_0$ , where  $\beta_0 = v_0/c \leq 1$  defines a quantize velocity parameter,  $M$  corresponds to either Earth's or solar mass and  $m$  is mass of a particle, is determined by Equivalence Principle and would characterize gravitational flux tubes.  $\hbar_{gr}$  must be used in the condition  $\hbar_{gr}/\hbar \geq 1$  is satisfied. This notion was originally introduced by Nottale [E1] and discussed from the TGD point in [K5, K3, K4].

This proposal generalizes to other interactions. The gravitational Compton length  $\Lambda_{gr} = \hbar_{gr}/m = GM/v_0 = r_S/2\beta_0$ , where  $r_S$  is Schwartshild radius. For Earth this gives  $\Lambda_{gr} = .45$  cm. This should be a fundamental biological and also hydrodynamical length scale [L21, L16] besides the corresponding length scale associated with the Sun.

4. Large values of  $h_{eff}$ , in particular  $\hbar_{gr}$ , mean the presence of long range quantum fluctuations serving as correlations for quantum criticality, which in the TGD Universe would accompany ordinary criticality. In living matter these fluctuations would be associated with the criticality with respect to melting/freezing and boiling/condensing.

There would also be criticality around physiological temperature especially relevant to biological life [L21]. In these transitions, large density fluctuations take place and this leads to the TGD view about the role of quantum gravitation in biology and theory of conscious experience. Quantum gravitation would not be relevant in Planck scale but for Planck mass scale and appear in macroscopic scales longer than  $\Lambda_{gr}$  and even in the scale of Earth and even Sun.

5. One ends up with a quantum gravitational view of metabolism [L23] based on the proposal that both hydrogen bonds and valence bonds are accompanied by magnetic flux tubes and be characterized by even  $\hbar_{gr}$  and therefore can have very long lengths giving rise to quantum coherence in long scales. The delocalization of dark protons at gravitational flux tubes by the absorption of dark solar photons would be a central element and one can say that the gravitational flux tubes serve as gravitational batteries with the metabolic energy stored in the reduction of the gravitational binding energy. One also ends up with a vision of how the neural system evolved [L23].
6. Pollack effect [I2, I3, L1, I4, I5] is a central element in the TGD view of living matter [L1, L4, L11, L2]. What would happen is that in the presence of a gel phase, the irradiation by visible or IR light would generate the negatively charged exclusion zone (EZ) by kicking protons of  $H_2O$  to the flux tubes of the MB of water where they could form sequences of dark protons.

Pollack effect would thus explain charge separation occurring for cell and DNA and even for Earth and would be absolutely central for TGD. A feed of metabolic energy would be necessary to preserve the charge separation requiring dark protons. An alternative interpretation is that preservation of high level of cognitive consciousness, measured by the value distribution of  $h_{eff}$  as analog of IQ, requires metabolic energy feed

7. Dark proton triplets or dark nucleon triplets [L24] at monopole flux tubes would provide a realization of the genetic code, and give rise to dark variants of DNA, RNA, tRNA and amino acids already at the level of water. Since also metabolism is involved.
8. The realization of the genetic code in terms of dark photon triplets would be essential for communications. The biochemical realization would be a secondary realization of the genetic code and would emerge later.
9. Number theoretic vision leads to a proposal that genetic code is universal [L13, L24]. Even the cell membrane could realize the genetic code. The key notion would be so-called icosatetrahedral tessellation at the hyperbolic space  $H^3$  (mass shell and its counterpart in  $H$ ) allowing realization of genetic code which would induce realizations at the space-time level. Also higher than 1-D realizations, such as realization at the level of cell membrane.

This picture would solve the hen-egg problems of the nothing-but-chemistry approach [L22]. All the basic building blocks necessitating each other emerge simultaneously. The TGD based view of space-time also strongly suggests that membrane-like structures are universal at the space-time level [L19] and are associated with cell membranes and various boundary layers.

### 2.2.2 Zero energy ontology

Zero energy ontology (ZEO) [L10, L15, L20] [K6] is also important for the TGD view of life.

1. "Big" or ordinary SFRs (BSFRs), would reverse the arrow of time and the interpretation of BSFR could be interpreted as a universal counterpart of death. BSFR would however mean reincarnation with an opposite arrow of time.
2. Sleep-awake cycle could be due to BSFRs at some level of MB. At the level of bio-molecules analogous cycles are also present. During the sleep period, dissipation occurs with a reverse arrow of time and this looks like healing when looked from the opposite time direction.

Since MB controls biological matter with  $h_{eff} = h$ , the change of the arrow of time in BSFRs at the level of the magnetic/field body would induce effective time reversal at the level of the ordinary biomatter. The arrow of time for ordinary matter would change in a very short time scale since BSFRs would occur with a high rate.

An attractive conjecture is that Krebs cycle and its reversal are time reversals of each other at some level of MB. If so, the appropriate levels of MBs of animals and plants tend to live in opposite time directions. As noticed, the Krebs cycle can change to its reversal, say in cancer, and the interpretation would be that the analog of cell death followed by a reincarnation with an opposite arrow of time occurs.

## 2.3 Expanding Earth hypothesis, Cambrian explosion, and emergence of oxygen rich oceans

The TGD proposal is that life and photosynthesis and higher chemical life emerged in underground oceans. Oxygen is needed and oxidation of the underground oceans would have taken place by photosynthesis by reverse Krebs cycle and been based on water instead of  $H_2S$ .

### 2.3.1 Evolution of life in underground oceans

Consider now the TGD picture.

1. Life would have evolved in underground oceans shielded from meteoritic bombardment and cosmic rays. The radius of Earth increased rapidly by a factor of about 2 during the Cambrian explosion (CE). The multicellular life utilizing photosynthesis bursted to the surface of Earth and formed recent oceans.

There would have been no oceans before the CE. Hydrothermal vents could have existed. The possible lifeforms were very simple bacteria, which photosynthesized using  $H_2S$  since there was now water and oxygen.

Earth was like Mars now: Mars has no oceans and no oxygen. There are indications of underground reservoirs of water and signs of simple life forms.

2. Cosmic expansion in GRT predicts astrophysical objects to expand smoothly. This does not happen. In the TGD Universe, the expansion would be a quantum phenomenon and take place in rapid jerks and such a jerk would have induced CE.

I got interested in the Expanding Earth hypothesis after watching a video [F2] by Neal Adams. The video is very impressive artwork but in the lack of references skeptics probably cannot avoid the feeling that Neal Adams might use his highly developed animation skills to cheat the reader. I found also a polemic article [F1] of Adams but the references were lacking. The basic argument was that the Wegener hypothesis generalizes. If the radius of the Earth were 1/2 of the recent radius, the whole Earth would be covered by continents fitting together along their boundaries.



### 2.3.2 Expanding Earth hypothesis

This leads to Expanding Earth Hypothesis (EEH) [L8, L18, L12].

1. EEH stating that the radius of Earth increased rather rapidly by a factor of about two in Cambrian Explosion and underground oceans serving as seats for highly evolved photosynthesizing life bursted to the surface and forming oceans.
2. Highly developed multicellular animals and photosynthesizing algae bursted to the surface. Note that algae are responsible for the production of most oxygen also in the recent oceans. If hydrothermal vents contained sulphur based life it disappeared because the generation of the basic building blocks of biomolecules was too slow.

Interestingly, the radius of Mars is roughly 1/2 of that for Earth. Could Mars have underground oceans teeming with life? When does the radius increase by factor two?

3. There is however a problem. How is photosynthesis possible underground? It is dark there! The basic proposal is that solar photons with energies in the visible and possibly infrared range arrive as dark photons along monopole flux tubes, which extend above the Earth and carry dark matter. The strength of the magnetic field would be about .2 Gauss and fraction 2/5 of the nominal value of the Earth's total magnetic field involving also a non-monopole part.
4. Also dark photons from the interior of Earth propagating along the flux tubes or associated with them could have served as an energy source. The temperature in the Earth's inner core (with radius about 20 percent of the Earth's radius) corresponds to about 5,500 K, which corresponds to a thermal energy scale of about .55 eV, which corresponds to the nominal value of the metabolic energy quantum.

The energy at the maximum of the energy distribution is roughly 3 times larger than this energy and would be around 1.65 eV. The energy at the maximum wavelength of thermal energy distribution is 5 times higher and about 2.75 eV, which is the upper bound for the energy range 2-2.75 eV of visible photons.

If the temperature of the inner core before CE has not differed appreciably from that now, which could hold true if the inner core was already before CE in the expanded state as also water containing regions, the idea about dark photons from the inner core as a metabolic energy source, which would make possible the evolution of photosynthesis in underground oceans, makes sense.

### 2.3.3 A model for the growth of the Earth radius by factor 2

The idea about relatively fast growth of the Earth radius by factor 2 raises the eyebrows of standard physicists. How can such a large change of density make sense? It seems safe to exclude the possibility that the mass of Earth has increased roughly by a factor of 8 (mass should have arrived from dark magnetic flux tube structure to which the core of Earth is associated as a tangle).

Monopole flux tube spaghetti should determine the structure of the ordinary condensed matter making Earth. One can consider several possibilities by allowing a fractal behaviour of the matter density induced by the structure of the flux tube spaghetti if it does not fill the entire volume [L18, L12].

The increase of the radius of Earth by factor about 2 means that the average density decreases by a factor 1/8. I have considered several options for what this could mean.

1. Quantum gravitation plays a key role in the TGD view of the emergence of life [L21] and brings in a completely new element. Density fluctuations at quantum criticality associated with the density changing phase transitions, such as freezing and evaporation, affect gravitational binding energy dramatically in long scales. This leads to a view how life could have evolved from this kind of quantum criticality. If the density fluctuations correspond to local scalings, they affect all gravitational binding energies in the same manner by reducing them. Quantum gravitational Compton length  $\Lambda_{gr} = GM/\beta_0$  using the definition  $\hbar_{gr} = GMm/\beta_0$  defines the key parameter. This suggests a considerable flexibility since the transition could

be induced from the level of quantum gravitational flux tubes and leave the details for what happens in scales below  $\Lambda_{gr}$  open.

2. Both the necessity of local scalings and energy conservation in the transition give further constraints. In the scaling of the radius of Earth by factor 2 induced by local scalings, the gravitational binding energy is reduced dramatically. There must be a way to compensate for the increase of the energy. Energy must be liberated in some degrees of freedom and condensed matter degrees of freedom in atomic scales are a natural candidate here.

For protons the gravitational binding energy is below .5 eV and for nucleus with mass number  $A$  it is below  $.5A$  eV. The reduction of the gravitational binding energy per particle in the phase transition would be of this order of magnitude. Encouragingly, this energy corresponds to a typical energy scale for the interactions energies between atoms.

3. The electronic size of an atom is inversely proportional to  $n^2 h_{eff}^2 / Z^2$ , where  $n$  is the principal quantum number for valence electrons and  $Z$  is the charge of the atomic nucleus. The electronic binding energies are proportional to  $Z^2 n^2 / h_{eff}^2$  so that the transition would require energy feed if scaling occurs in electronic degrees of freedom. Energy is not liberated. Furthermore, the electronic size of the atom cannot be affected in the transition.

Note however that the experiments of Randell Mills [D1] provide support for the possibility of  $h_{eff}$  smaller than  $h$  for valence electrons [L3]. The TGD inspired model for chemical bonds [L5] suggests that the value of  $h_{eff}$  characterizes valence bonds.

4. Second possibility is that the energy is liberated in atomic size scales defined in terms of the size lattice constant  $a$  defining the unit cell of the atomic lattice, which is rather constant. The atomic p-adic length scale defining  $a$  would increase by factor 2 or the value of  $h_{eff}$  assignable to the atomic p-adic length scale (the p-adic length scale  $L(137)$  is a good guess) increases by a factor 2 from  $h/2$  to  $h$ . Note that before the transition the value of  $h_{eff}$  assignable to  $a$  cannot be the same as the value assignable to the atomic electrons, since the latter cannot change in the transition.

The reduction of the gravitational binding energy should correspond to the liberated interatomic interaction energy depending on  $a$  which would increase by a factor 2. If this interaction energy can be regarded as positive interaction energy of positively charged atoms without conduction electrons, it is positive, and would decrease in the transition and could compensate for the reduction of the gravitational binding energy.

5. The phase transition would have been local and occurred gradually. The regions of water containing the photosynthesizing life forms and multicellular animals would have been in the recent phase already before CD. Water atoms behaved like dark matter since  $h_{eff}$  was twice its value for other atoms (as unit cells).

The same could apply also to the inner core serving as a source of dark photons providing the metabolic energy. Indeed, the radius of the inner core is roughly 1/5 of the radius of Earth, so that the possibility that also the inner core was in the ordinary phase looks realistic: the doubling of the Earth radius would be replaced with a scaling by factor 10/6.

Only the mantle would have been in the exotic phase. Of course, also the uppermost layers could have been also in the ordinary phase as the recent situation on Mars would suggest. The phase transition would have gradually proceeded in the mantle during the period when the radius of Earth was doubled.

6. The arguments of [L12] based on the idea that  $CP_2$  length scale corresponds actually to Planck length scaled by factor  $\sqrt{h/h_0}$  led to a speculation that  $h_{eff} = h$  could be proportional to integer  $n_0 = (7!)^2$  defining the order of Galois group for the number theoretic ground state in the length scales of atomic physics [L14].  $7!$  would correspond to the order of the permutation group  $S_7$  and  $S_7 \times S_7$  would define the Galois group of the ground state corresponding to  $h_{eff} = h$ .

This suggests that the order of the Galois group was given by  $n = n_0/2 = 7!^2/2$  before CE and was replaced with  $n_0 = (7!)^2$  in CE. The Galois group would have been  $S_7 \times A_7$ , where  $A_7$  is an alternating group, which is simple.  $Z_2$  is the only normal subgroup of  $S_7$ .

Can one imagine any evidence for an analog of the exotic phase in the framework of known physics? In the case of water, superionic ice [D2] (<https://cutt.ly/uXUIkUQ> and <https://cutt.ly/3XUIWhX>) existing at extreme pressures is a possible candidate for the exotic phase of water. Superionic ice is proposed to appear in the mantles of giant planets such as Uranus and Neptune and in [L18, L12] the possibility that it could occur in the Earth's mantle was considered. The density of superionic ice is slightly less than 4 times the density of ordinary ice. The reduction of  $h_{eff}$  with factor 2 ( $n = n_0/2 = (7!)^2/2$ ) would give a density, which is 8 times the density of ordinary ice. The increase of the density by factor 2 would require effective 2-dimensionality but superionic ice is 3-D.

### 2.3.4 Quantum gravitational metabolism

Consider first the quantum gravitational metabolism at Earth in the recent situation. In [L23], I discussed the following vision.

1. The long gravitational monopole flux tubes with  $\hbar_{eff} = \hbar_{gr} = GM_E m / \beta_0$ ,  $\beta_0 = v_0/c \leq 1$ , have lengths much longer than gravitational Compton length  $\Lambda_{gr} = \hbar_{gr}/m = GM/\beta_0$  does not depend on the mass  $m$  of charged particle, now proton at the dark hydrogen bond.  $\Lambda_{gr}$  is about .45 cm for  $\beta \simeq 1$  using  $\hbar_{gr} = GMm/\beta_0$ . There are several pieces of evidence suggesting that  $\Lambda_{gr}$  is a fundamental scale of hydrodynamics [L16, L21].

The length of long dark hydrogen bond flux tubes should be of order Earth size scale. For the recent life forms they would extend from the surface of Earth to the atmosphere.

The dark photons of sunlight are absorbed by these flux tubes and this would increase the length if the energy reduces the gravitational binding energy. These flux tubes would serve as quantum gravitational batteries just like cell membranes as electromagnetic batteries.

2. Skeptics can of course wonder how it is possible that extremely weak gravitational interaction of gravitation and photons allows the transfer of dark photon energy to gravitational degrees of freedom. As a matter of fact, quantum coherence means that gravitational interaction is actually extremely strong!

In ordinary quantum theory one should use  $\alpha_{gr} = GMm/\hbar$  as a coupling strength. It is larger than unity for  $Mm$  larger than Planck mass squared and the perturbation series fails! The introduction of  $\hbar_{gr}$  saves the perturbation theory! As a matter of fact, the original motivation for  $h_{eff}$  was that the Universe is theoretician friendly and the increase of  $\hbar$  means a phase transition making perturbation theory possible.

One can characterize dark gravitational interaction by a dimensionless coupling parameter  $\alpha_{gr} = GMm/4\pi\hbar_{gr} = \beta_0/4\pi$ , which depends on  $\beta_0$  only and is  $1/4\pi$  for  $\beta_0 = 1$  and therefore by a factor  $1/e^2$  larger than fine structure constant and still of the same size as strong coupling strength  $\alpha_s$ !

3. The upper bound for the gravitational binding energy of a proton in the Earth's gravitational field is of the order of .5 eV metabolic energy quantum. If the dark proton at the long flux tube is localized at the surface of Earth, its gravitational binding energy increases and energy is liberated as metabolic energy. The flux tube can be given the original length by the absorption of a dark photon of solar radiation.
4. Among other things, the model predicts a new metabolic energy currency associated with electrons. It is by the ratio  $m_e/m_p \simeq 2^{-11}$  smaller than the standard metabolic energy quantum with the nominal value .5 eV.

### 2.3.5 The situation before CE

Consider now the situation before CE, when oceans were underground. One can imagine several options depending on whether dark solar radiation, dark photons from the Earth's core, or both provide the metabolic energy in the primordial photosynthesis.

1. The dark radiation from the Earth's core seems to be a necessary ingredient of the model for all options. If the dark photons from the Earth's core did not play any role in the metabolism, these dark hydrogen bond flux tubes should have extended above the surface of Earth in an unloaded state so that dark solar photons could have loaded them either electromagnetically or gravitationally. If they are shortened spontaneously to ordinary hydrogen bonds, there would have been no mechanism for increasing their length.
2. Dark photons from the Earth's core could have increased the length of the dark flux tubes if their energy went to the reduction of the gravitational binding energy rather to the excitation of dark proton cyclotron state.
3. For the simplest option, the localization of the delocalized dark proton at flux tube would have liberated metabolic energy as gravitational binding energy as the dark hydrogen bond shortened to an ordinary hydrogen bond. The order of magnitude is around metabolic energy quantum if 3 protons are localized simultaneously [L23].

If only dark solar photons were involved as an energy source, the dark flux tubes in the active state would have extended above the Earth's surface. Dark photons from the Earth's core could have made this possible. Solar photons could have loaded further energy to the quantum gravitational batteries as a reduction of gravitational binding energy or as dark cyclotron energy.

One can also imagine that the dark cyclotron state of the dark proton was excited by the dark solar photon and was liberated as the metabolic energy in the interior as the dark proton was localized.

4. Could the dark photons from the Earth's core be involved with the metabolism of recent life forms? Say those living underground? Could the increase of the radius of Earth by a factor of 2 have reduced the rate for the increase of the length of dark hydrogen bonds so that this mechanism became insignificant? Could one imagine that the Earth's mantle still contains life forms utilizing the core of Earth as a metabolic energy source? I have suggested this half-jokingly for more than 2 decades ago [K1, K2].

The next question concerns the identification of the primordial photosynthesizers.

1. They would have been the underground counterparts of the recent plants. Dark magnetic flux tubes emanating from them would have formed a kind of magnetic forest.
2. They did not have roots, leaves, nor flowers and lived in underground oceans and did photosynthesis. Algae <https://cutt.ly/9XTBTE0> living in oceans satisfy these conditions. They include cyanobacteria (red and green algae) and glaucophytes. They or their predecessors (at least cyanobacteria) should have lived in the underground oceans and have evolved to the recent algae and plants after CE. Interestingly, algae produce most of the oxygen of Earth also in the recent biosphere. Cyanobacteria living in endosymbiosis with algae are the first known organisms that have produced oxygen.
3. This picture also solves the problem of how the oceans were oxygenated. They were oxygenated from the beginning and only bursted to the surface of Earth in CE.
4. This picture also conforms with the proposal of Lane that Earth and cell are very much analogous and makes this idea very concrete. The TGD variant of this proposal suggests that lightnings are actually analogs of action potentials possible even for unicellular organisms.

### 3 Appendix: A Corrected physical interpretation of the parameter $\beta_0$

Writing of this article led to an observation an apparent paradox, which resulted from a wrong interpretation of the parameter  $\beta_0$  in Nottale's formula.

1. As already discussed, the quantum gravitational phase transition reducing the value of  $\beta_0$  by factor 2 was involved with CE and led to the increase of the radius of Earth by factor 2.

There are indications that the recent value  $\beta_0$  is  $\beta_0 \simeq 1$  and thus near to the maximal value [L16, L21]. This however leads to the conclusion that  $\beta_0 = 2$  was true before CE. This leads to a contradiction if one assumes that  $\beta_0 = v_0/c$  is consistent with special relativity.

2. The resolution of the apparent contradiction is based on the fact that the definition of the parameter  $\beta_0$  in the Nottale's formula is actually not unique and determined only by scaling without further inputs such as the condition  $\beta_0 \leq 1$ . Therefore one can replace the formula  $\hbar_{gr} = GMm/\beta$  with the formula  $\hbar_{gr} = GMm/2\beta_{0,ph}$  if one defines  $\beta_{0,ph} = \beta_0/2$ . For this option, the value of  $\beta_{0,ph}$  would have decreased from  $\beta_{0,ph} = 1$  to  $\beta_{0,ph} = 1/2$  in CE. The value of  $\Lambda_{gr}$  after CE would be  $\Lambda_{gr} = GM/2\beta_{0,ph} = r_s/2$  just as proposed earlier [L16, L21].

## REFERENCES

### Theoretical Physics

- [B1] Mineev ZK et al. To catch and reverse a quantum jump mid-flight, 2019. Available at: <https://arxiv.org/abs/1803.00545>.

### Cosmology and Astro-Physics

- [E1] Nottale L Da Rocha D. Gravitational Structure Formation in Scale Relativity, 2003. Available at: <https://arxiv.org/abs/astro-ph/0310036>.

### Physics of Earth

- [F1] A challenge to all geologists of Earth. Available at: <https://www.nealadams.com/challenge.html>.

- [F2] Adams N. Conspiracy of Sci, Earth is in fact growing, 2006. Available at: <https://tinyurl.com/pqfvu28>.

### Condensed Matter Physics

- [D1] Mills R et al. Spectroscopic and NMR identification of novel hybrid ions in fractional quantum energy states formed by an exothermic reaction of atomic hydrogen with certain catalysts, 2003. Available at: <https://www.blacklightpower.com/techpapers.html>.

- [D2] Prakapenka VB et al. Structure and properties of two superionic ice phases. *Nature Physics*, 17(11):1–6, 2021. Available at: [https://www.researchgate.net/publication/355212207\\_Structure\\_and\\_properties\\_of\\_two\\_superionic\\_ice\\_phases](https://www.researchgate.net/publication/355212207_Structure_and_properties_of_two_superionic_ice_phases).

### Biology

- [I1] The Fourth Phase of Water: Dr. Gerald Pollack at TEDxGuelphU, 2014. Available at: <https://www.youtube.com/watch?v=i-T7tCMUDXU>.

- [I2] Pollack G. *Cells, Gels and the Engines of Life*. Ebner and Sons, 2000. Available at: <https://www.cellsandgels.com/>.

- [I3] Pollack G. *Cells, Gels and the Engines of Life*. Ebner and Sons, 2000. Available at: <https://www.cellsandgels.com/>.

- [I4] Zhao Q Pollack GH, Figueroa X. Molecules, water, and radiant energy: new clues for the origin of life. *Int J Mol Sci*, 10:1419–1429, 2009. Available at: <https://tinyurl.com/ntkfhlc>.
- [I5] Pollack GH Zheng J-M. Long-range forces extending from polymer-gel surfaces. *Phys Rev E*, 68:031408–, 2003. Available at: <https://tinyurl.com/ntkfhlc>.

## Books related to TGD

- [K1] Pitkänen M. Crop Circles and Life at Parallel Space-Time Sheets. In *Magnetospheric Consciousness*. Available at: <https://tgdtheory.fi/pdfpool/crop1.pdf>, 2006.
- [K2] Pitkänen M. Crop Circles and Life at Parallel Space-Time Sheets. In *Magnetospheric Consciousness*. Available at: <https://tgdtheory.fi/pdfpool/crop2.pdf>, 2006.
- [K3] Pitkänen M. Quantum Astrophysics. In *Physics in Many-Sheeted Space-Time: Part II*. Available at: <https://tgdtheory.fi/pdfpool/qastro.pdf>, 2019.
- [K4] Pitkänen M. Quantum gravity, dark matter, and prebiotic evolution. In *Genes and Memes: Part I*. Available at: <https://tgdtheory.fi/pdfpool/hgrprebio.pdf>, 2019.
- [K5] Pitkänen M. TGD and Astrophysics. In *Physics in Many-Sheeted Space-Time: Part II*. Available at: <https://tgdtheory.fi/pdfpool/astro.pdf>, 2019.
- [K6] Pitkänen M. Zero Energy Ontology. In *Towards M-Matrix: part I*. Available at: <https://tgdtheory.fi/pdfpool/ZEO.pdf>, 2021.

## Articles about TGD

- [L1] Pitkänen M. Pollack's Findings about Fourth phase of Water : TGD View. Available at: [https://tgdtheory.fi/public\\_html/articles/PollackYoutube.pdf](https://tgdtheory.fi/public_html/articles/PollackYoutube.pdf), 2014.
- [L2] Pitkänen M. Could Pollack effect make cell membrane a self-loading battery? Available at: [https://tgdtheory.fi/public\\_html/articles/cfbattery.pdf](https://tgdtheory.fi/public_html/articles/cfbattery.pdf), 2016.
- [L3] Pitkänen M. Hydrinos again. Available at: [https://tgdtheory.fi/public\\_html/articles/Millsagain.pdf](https://tgdtheory.fi/public_html/articles/Millsagain.pdf), 2016.
- [L4] Pitkänen M. Pollack's mechanism and photosynthesis. Available at: [https://tgdtheory.fi/public\\_html/articles/pollackphoto.pdf](https://tgdtheory.fi/public_html/articles/pollackphoto.pdf), 2016.
- [L5] Pitkänen M. Does valence bond theory relate to the hierarchy of Planck constants? Available at: [https://tgdtheory.fi/public\\_html/articles/valenceheff.pdf](https://tgdtheory.fi/public_html/articles/valenceheff.pdf), 2017.
- [L6] Pitkänen M. Philosophy of Adelic Physics. In *Trends and Mathematical Methods in Interdisciplinary Mathematical Sciences*, pages 241–319. Springer. Available at: [https://link.springer.com/chapter/10.1007/978-3-319-55612-3\\_11](https://link.springer.com/chapter/10.1007/978-3-319-55612-3_11), 2017.
- [L7] Pitkänen M. Philosophy of Adelic Physics. Available at: [https://tgdtheory.fi/public\\_html/articles/adelephysics.pdf](https://tgdtheory.fi/public_html/articles/adelephysics.pdf), 2017.
- [L8] Pitkänen M. Expanding Earth Model and Pre-Cambrian Evolution of Continents, Climate, and Life. Available at: [https://tgdtheory.fi/public\\_html/articles/expearth.pdf](https://tgdtheory.fi/public_html/articles/expearth.pdf), 2018.
- [L9] Pitkänen M. Copenhagen interpretation dead: long live ZEO based quantum measurement theory! Available at: [https://tgdtheory.fi/public\\_html/articles/Bohrdead.pdf](https://tgdtheory.fi/public_html/articles/Bohrdead.pdf), 2019.
- [L10] Pitkänen M. Some comments related to Zero Energy Ontology (ZEO). Available at: [https://tgdtheory.fi/public\\_html/articles/zeoquestions.pdf](https://tgdtheory.fi/public_html/articles/zeoquestions.pdf), 2019.
- [L11] Pitkänen M. A model of protocell based on Pollack effect. Available at: [https://tgdtheory.fi/public\\_html/articles/pollackoparin.pdf](https://tgdtheory.fi/public_html/articles/pollackoparin.pdf), 2020.

- [L12] Pitkänen M. Empirical support for the Expanding Earth Model and TGD view about classical gauge fields. [https://tgdtheory.fi/public\\_html/articles/expearthnewest.pdf](https://tgdtheory.fi/public_html/articles/expearthnewest.pdf), 2021.
- [L13] Pitkänen M. Is genetic code part of fundamental physics in TGD framework? Available at: [https://tgdtheory.fi/public\\_html/articles/TIH.pdf](https://tgdtheory.fi/public_html/articles/TIH.pdf), 2021.
- [L14] Pitkänen M. Questions about coupling constant evolution. [https://tgdtheory.fi/public\\_html/articles/ccheff.pdf](https://tgdtheory.fi/public_html/articles/ccheff.pdf), 2021.
- [L15] Pitkänen M. Some questions concerning zero energy ontology. [https://tgdtheory.fi/public\\_html/articles/zeonew.pdf](https://tgdtheory.fi/public_html/articles/zeonew.pdf), 2021.
- [L16] Pitkänen M. TGD and Quantum Hydrodynamics. [https://tgdtheory.fi/public\\_html/articles/TGDhydro.pdf](https://tgdtheory.fi/public_html/articles/TGDhydro.pdf), 2021.
- [L17] Pitkänen M. TGD as it is towards the end of 2021. [https://tgdtheory.fi/public\\_html/articles/TGD2021.pdf](https://tgdtheory.fi/public_html/articles/TGD2021.pdf), 2021.
- [L18] Pitkänen M. Updated version of Expanding Earth model. [https://tgdtheory.fi/public\\_html/articles/expearth2021.pdf](https://tgdtheory.fi/public_html/articles/expearth2021.pdf), 2021.
- [L19] Pitkänen M. What could 2-D minimal surfaces teach about TGD? [https://tgdtheory.fi/public\\_html/articles/minimal.pdf](https://tgdtheory.fi/public_html/articles/minimal.pdf), 2021.
- [L20] Pitkänen M. About the number theoretic aspects of zero energy ontology. [https://tgdtheory.fi/public\\_html/articles/ZE0number.pdf](https://tgdtheory.fi/public_html/articles/ZE0number.pdf), 2022.
- [L21] Pitkänen M. Comparison of Orch-OR hypothesis with the TGD point of view. [https://tgdtheory.fi/public\\_html/articles/penrose.pdf](https://tgdtheory.fi/public_html/articles/penrose.pdf), 2022.
- [L22] Pitkänen M. Hen and egg problems of biology from TGD point of view. [https://tgdtheory.fi/public\\_html/articles/henegg.pdf](https://tgdtheory.fi/public_html/articles/henegg.pdf), 2022.
- [L23] Pitkänen M. How animals without brain can behave as if they had brain. [https://tgdtheory.fi/public\\_html/articles/precns.pdf](https://tgdtheory.fi/public_html/articles/precns.pdf), 2022.
- [L24] Pitkänen M. The realization of genetic code in terms of dark nucleon and dark photon triplets. [https://tgdtheory.fi/public\\_html/articles/darkcode.pdf](https://tgdtheory.fi/public_html/articles/darkcode.pdf), 2022.